



DIY TOOLS

DIY Tools For Angle Grinder
Single row cup wheel · Double row cup wheel · Cyclone cup wheel

DIY Tools For Circular Saw
Segmented blade · Turbo blade · Continuous rim blade

DIY Tools For Driller
Hole core drill · Electroplated core drill

DIY Tools For Angle Grinder

Cup wheel



CGWS



Single row cup wheel

Applications: rough surface grinding different kinds of concrete and masonry materials with superior efficiency

Item No.	Diameter	Segment No.	Segment Thickness	Arbor
CGWS10005	100mm	8	5.5mm	7/8", 5/8"-11, M14
CGWS11505	115mm	9	5.5mm	7/8", 5/8"-11, M14
CGWS12505	125mm	10	5.5mm	7/8", 5/8"-11, M14
CGWS15005	150mm	12	5.5mm	7/8", 5/8"-11, M14
CGWS18005	180mm	12	5.5mm	7/8", 5/8"-11, M14



CGWD



Double row cup wheel

Applications: rough surface grinding different kinds of concrete and masonry materials with superior efficiency

Item No.	Diameter	Segment No.	Segment Thickness	Arbor
CGWD10005	100mm	13	5.5mm	7/8", 5/8"-11, M14
CGWD11505	115mm	16	5.5mm	7/8", 5/8"-11, M14
CGWD12505	125mm	18	5.5mm	7/8", 5/8"-11, M14
CGWD15005	150mm	19	5.5mm	7/8", 5/8"-11, M14
CGWD18005	180mm	22	5.5mm	7/8", 5/8"-11, M14



CGWC



Cyclone cup wheel

Applications: rough surface grinding different kinds of concrete and masonry materials with superior efficiency

Item No.	Diameter	Segment No.	Segment Thickness	Arbor
CGWC10505	105mm	9	5.5mm	7/8", 5/8"-11, M14
CGWC11505	115mm	9	5.5mm	7/8", 5/8"-11, M14
CGWC12505	125mm	9	5.5mm	7/8", 5/8"-11, M14
CGWC15005	150mm	12	5.5mm	7/8", 5/8"-11, M14
CGWC18005	180mm	12	5.5mm	7/8", 5/8"-11, M14

DIY Tools For Circular Saw



CCGS



Segmented blade

Applications:cutting bricks, block, slate, concrete,masonry with good efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CCGS105	105mm	8/10mm	2.0mm	16/20/22.23mm
CCGS110	110mm	8/10mm	2.0mm	16/20/22.23mm
CCGS115	115mm	8/10mm	2.0mm	16/20/22.23mm
CCGS125	125mm	8/10mm	2.0mm	16/20/22.23mm
CCGS150	150mm	8/10mm	2.0mm	16/20/22.23mm
CCGS180	180mm	8/10mm	2.3mm	16/20/22.23mm
CCGS230	230mm	8/10mm	2.3mm	16/20/22.23mm



CGST



Turbo Blade

Applications:cutting bricks, block, slate, concrete,masonry with good efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CGST105	105mm	8/10mm	2.2mm	16/20/22.23mm
CGST110	110mm	8/10mm	2.2mm	16/20/22.23mm
CGST115	115mm	8/10mm	2.2mm	16/20/22.23mm
CGST125	125mm	8/10mm	2.2mm	16/20/22.23mm
CGST150	150mm	8/10mm	2.2mm	16/20/22.23mm
CGST180	180mm	8/10mm	2.5mm	16/20/22.23mm
CGST230	230mm	8/10mm	2.7mm	16/20/22.23mm



CTSA



Continuous Rim Blade

Applications:cutting ceramic tile,porcelain tile etc with good efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CTSA105	105mm	7/10mm	1.7mm	16/20/22.23mm
CTSA110	110mm	7/10mm	1.7mm	16/20/22.23mm
CTSA115	115mm	7/10mm	1.7mm	16/20/22.23mm
CTSA125	125mm	7/10mm	1.7mm	16/20/22.23mm
CTSA150	150mm	7/10mm	1.7mm	16/20/22.23mm
CTSA180	180mm	7/10mm	1.7mm	16/20/22.23mm
CTSA230	230mm	7/10mm	1.7mm	16/20/22.23mm

DIY Tools For Driller



CHCD



Hole core drill

Applications:dry drilling concrete, stone,masonry with superior efficiency

Item No.	Diameter	Segment Height	Arbor	Total Length
CHCD168010	16mm	10	5/8"-11 / M14	80mm
CHCD208010	20mm	10	5/8"-11 / M14	80mm
CHCD258010	25mm	10	5/8"-11 / M14	80mm
CHCD278010	27mm	10	5/8"-11 / M14	80mm
CHCD328010	32mm	10	5/8"-11 / M14	80mm
CHCD358010	35mm	10	5/8"-11 / M14	80mm
CHCD388010	38mm	10	5/8"-11 / M14	80mm
CHCD508010	50mm	10	5/8"-11 / M14	80mm
CHCD608010	60mm	10	5/8"-11 / M14	80mm



SECD



Electroplated core drill


Applications:dry drilling granite,marble,masonry with superior efficiency

Item No.	Diameter	Segment Height	Arbor	Total Length
SECD020	20mm	3/5	5/8"-11 / M14	80mm
SECD032	32mm	3/5	5/8"-11 / M14	80mm
SECD038	38mm	3/5	5/8"-11 / M14	80mm
SECD042	42mm	3/5	5/8"-11 / M14	80mm
SECD052	52mm	3/5	5/8"-11 / M14	80mm
SECD068	68mm	3/5	5/8"-11 / M14	80mm
SECD085	85mm	3/5	5/8"-11 / M14	80mm
SECD102	102mm	3/5	5/8"-11 / M14	80mm



Corediam Tools Co.,Ltd

 No.9 Changjiang Road,Hi-tech Zone,
Shijiazhuang City,Hebei Province,China

 86-311-85301758

 sales@corediamtools.com

 www.corediamtools.com